

MARINE GENERATOR SPECIFICATIONS



Generator Model	kW*	Hz	Cylinder	RPM	Phase	Voltage		Amps	Length x Width x Height mm (in) H – Housed / U – Unhoused		Weight (Wet) kg (lb)
6EKOD	6	60	3	1800	1	120	50	50 / 25	H – 780 (30.7) x 528 (20.8) x 559 (22) U – 743 (29.3) x 448 (17.6) x 536 (21.1)	H – 222 (489) U – 185 (407)	
						120 / 240	50 / 25				
5EFKOD	5	50	3	1500	1	115 / 230	43.4 / 21.7	21.7	H – 780 (30.7) x 528 (20.8) x 559 (22) U – 743 (29.3) x 448 (17.6) x 536 (21.1)	H – 222 (489) U – 185 (407)	
						230	21.7				
						240	20.8				
9EKOZD	8.5	60	3	1800	1	120	70.8	70.8 / 35.4	H – 865 (34.1) x 528 (20.8) x 559 (22) U – 827 (32.6) x 448 (17.6) x 536 (21.1)	H – 249 (548) U – 211 (465)	
						120 / 240	70.8 / 35.4				
						115 / 230	60.8 / 30.4				
7EFKOZD	7	50	3	1500	1	230	30.4	30.4	H – 865 (34.1) x 528 (20.8) x 559 (22) U – 827 (32.6) x 448 (17.6) x 536 (21.1)	H – 249 (548) U – 211 (465)	
						240	29.2				
						240	29.2				
11EKOZD	11	60	4	1800	1	120	91.7	91.7 / 45.8	H – 960 (37.8) x 528 (20.8) x 559 (22) U – 922 (36.3) x 448 (17.6) x 536 (21.1)	H – 279 (616) U – 241 (532)	
						120 / 240	91.7 / 45.8				
						115 / 230	78.3 / 39.1				
9EFKOZD	9	50	4	1500	1	230	39.1	39.1	H – 960 (37.8) x 528 (20.8) x 559 (22) U – 922 (36.3) x 448 (17.6) x 536 (21.1)	H – 279 (616) U – 241 (532)	
						240	37.5				
						240	37.5				
11EKOZD	11	60	4	1800	3	220 / 380	20.9	20.9	H – 960 (37.8) x 528 (20.8) x 559 (22) U – 922 (36.3) x 448 (17.6) x 536 (21.1)	H – 406 (896) U – 376 (830)	
						240 / 416	19.1				
						120 / 240	33.1				
9EFKOZD	9	50	4	1500	3	127 / 220	36.1	36.1	H – 960 (37.8) x 528 (20.8) x 559 (22) U – 922 (36.3) x 448 (17.6) x 536 (21.1)	H – 406 (896) U – 376 (830)	
						230 / 400	16.2				
						230 / 400	16.2				
14EKOZD	14	60	3	1800	1	120	117	117	H – 1064 (41.9) x 652.5 (25.7) x 711 (27.9) U – 984 (38.8) x 580 (22.8) x 695 (27.4)	H – 395 (870) U – 376 (830)	
						120 / 240	59				
						230	53				
12EFKOZD	12	50	3	1500	1	240	40	40	H – 1064 (41.9) x 652.5 (25.7) x 711 (27.9) U – 984 (38.8) x 580 (22.8) x 695 (27.4)	H – 395 (870) U – 376 (830)	
						120 / 208	49				
						120 / 240	43				
14EKOZD	14	60	3	1800	3	120 / 240	59	59	H – 1064 (41.9) x 652.5 (25.7) x 711 (27.9) U – 984 (38.8) x 580 (22.8) x 695 (27.4)	H – 406 (896) U – 376 (830)	
						127 / 220	46				
						139 / 240	43				
12EFKOZD	12	50	3	1500	3	277 / 480	22	22	H – 1064 (41.9) x 652.5 (25.7) x 711 (27.9) U – 984 (38.8) x 580 (22.8) x 695 (27.4)	H – 406 (896) U – 376 (830)	
						110 / 190	46				
						115 / 230	38				
12EFKOZD	12	50	3	1500	1	115 / 230	53	53	H – 1064 (41.9) x 652.5 (25.7) x 711 (27.9) U – 984 (38.8) x 580 (22.8) x 695 (27.4)	H – 406 (896) U – 376 (830)	
						120 / 208	42				
						230 / 400	22				
16EKOZD	16	60	3	1800	1	240 / 416	21	21	H – 1064 (41.9) x 652.5 (25.7) x 711 (27.9) U – 984 (38.8) x 580 (22.8) x 695 (27.4)	H – 406 (896) U – 376 (830)	
						220 / 380	23				
						220 / 380	23				
16EKOZD	16	60	3	1800	1	120	134	134	H – 1064 (41.9) x 652.5 (25.7) x 711 (27.9) U – 1003 (39.5) x 580 (22.8) x 695 (27.4)	H – 406 (896) U – 376 (830)	
						120 / 240	67				
						230	59				
13.5EFKOZD	14	50	3	1500	1	240	40	40	H – 1064 (41.9) x 652.5 (25.7) x 711 (27.9) U – 1003 (39.5) x 580 (22.8) x 695 (27.4)	H – 406 (896) U – 376 (830)	
						120 / 208	56				
						120 / 240	49				
16EKOZD	16	60	3	1800	3	120 / 240	67	67	H – 1064 (41.9) x 652.5 (25.7) x 711 (27.9) U – 1003 (39.5) x 580 (22.8) x 695 (27.4)	H – 406 (896) U – 376 (830)	
						127 / 220	53				
						139 / 240	49				
13.5EFKOZD	13.5	50	3	1500	3	277 / 480	25	25	H – 1064 (41.9) x 652.5 (25.7) x 711 (27.9) U – 1003 (39.5) x 580 (22.8) x 695 (27.4)	H – 406 (896) U – 376 (830)	
						110 / 190	52				
						115 / 230	43				
13.5EFKOZD	13.5	50	3	1500	1	115 / 230	59	59	H – 1064 (41.9) x 652.5 (25.7) x 711 (27.9) U – 1003 (39.5) x 580 (22.8) x 695 (27.4)	H – 406 (896) U – 376 (830)	
						120 / 208	47				
						230 / 400	25				
21EKOZD	21 / 21	60	4	1800	1	240 / 416	24	24	H – 1197 (47.1) x 652.5 (25.7) x 711 (27.9) U – 1121 (44.1) x 577.5 (22.7) x 694 (27.3)	H – 480 (1059) U – 440 (970)	
						220 / 380	26				
						220 / 380	26				
18EFKOZD	18 / 18	50	4	1500	1	120	175	175	H – 1197 (47.1) x 652.5 (25.7) x 711 (27.9) U – 1121 (44.1) x 577.5 (22.7) x 694 (27.3)	H – 480 (1059) U – 440 (970)	
						120 / 240	88				
						230	79				
18EFKOZD	14.5 / 14.5	50	4	1500	1	240	61	61	H – 1197 (47.1) x 652.5 (25.7) x 711 (27.9) U – 1121 (44.1) x 577.5 (22.7) x 694 (27.3)	H – 480 (1059) U – 440 (970)	
						120 / 240	88				
						230	79				

DIESEL

Generator Model	kW*	Hz	Cylinder	RPM	Phase	Voltage		Amps	Length x Width x Height mm (in) H – Housed / U – Unhoused		Weight (Wet) kg (lb)
21EKOZD	21	60	4	1800	3	120 / 208	73	73	H – 1197 (47.1) x 652.5 (25.7) x 711 (27.9) U – 1121 (44.1) x 577.5 (22.7) x 694 (27.3)	H – 480 (1059) U – 440 (970)	
						120 / 240	80				
						127 / 220	69				
17EFKOZD	17	50	4	1500	3	139 / 240	64	64	H – 1197 (47.1) x 652.5 (25.7) x 711 (27.9) U – 1121 (44.1) x 577.5 (22.7) x 694 (27.3)	H – 480 (1059) U – 440 (970)	
						277 / 480	32				
						110 / 190	65				
17EFKOZD	17	50	4	1500	1	115 / 230	70	70	H – 1197 (47.1) x 652.5 (25.7) x 711 (27.9) U – 1121 (44.1) x 577.5 (22.7) x 694 (27.3)	H – 480 (1059) U – 440 (970)	
						120 / 208	58				
						230 / 400	31				
24EKOZD	24	60	4	1800	3	240 / 416	29	29	H – 1197 (47.1) x 652.5 (25.7) x 711 (27.9) U – 1121 (44.1) x 577.5 (22.7) x 694 (27.3)	H – 480 (1059) U – 440 (970)	
						220 / 380	33				
						220 / 380	33				
20.5EFKOZD	21	50	4	1500	1	120	200	200	H – 1197 (47.1) x 652.5 (25.7) x 711 (27.9) U – 1138 (44.8) x 577.5 (22.7) x 694 (27.3)	H – 489 (1078) U – 449 (990)	
						120 / 240	100				
						230	90				
24EKOZD	24	60	4	1800	3	240	78	78	H – 1197 (47.1) x 652.5 (25.7) x 711 (27.9) U – 1138 (44.8) x 577.5 (22.7) x 694 (27.3)	H – 489 (1078) U – 449 (990)	
						120 / 208	84				
						120 / 240	73				
24EKOZD	24	60	4	1800	1	120 / 240	92	92	H – 1197 (47.1) x 652.5 (25.7) x 711 (27.9) U – 1138 (44.8) x 577.5 (22.7) x 694 (27.3)	H – 489 (1078) U – 449 (990)	
						127 / 220	79				
						139 / 240	73				
20.5EFKOZD	20.5	50	4	1500	3	277 / 480	37	37	H – 1197 (47.1) x 652.5 (25.7) x 711 (27.9) U – 1138 (44.8) x 577.5 (22.7) x 694 (27.3)	H – 489 (1078) U – 449 (990)	
						110 / 190	78				
						115 / 230	65				
20.5EFKOZD	20.5	50	4	1500	1	115 / 230	85	85	H – 1197 (47.1) x 652.5 (25.7) x 711 (27.9) U – 1138 (44.8) x 577.5 (22.7) x 694 (27.3)	H – 489 (1078) U – 449 (990)	
						120 / 208	72				
						230 / 400	37				
32EKOZD	32	60	4	1800	3	240 / 416	36	36	H – 1303 (51.30) x 661 (26.04) x 778 (30.64) U – 1222 (48.13) x 643 (25.33) x 733 (28.86)	H – 607 (1339) U – 531 (1170)	
						220 / 380	39				
						120 / 240	133				
32EKOZD	32	60	4	1800	1	120 / 208	111	111	H – 1303 (51.30) x 661 (26.04) x 778 (30.64) U – 1222 (48.13) x 643 (25.33) x 733 (28.86)	H – 607 (1339) U – 531 (1170)	
						120 / 240	96				
						120 / 240	142				
28EFKOZD	31	60	4	1800	3	127 / 220	105	105	H – 1303 (51.30) x 661 (26.04) x 778 (30.64) U – 1222 (48.13) x 643 (25.33) x 733 (28.86)	H – 607 (1339) U – 531 (1170)	
						139 / 240	96				
						277 / 480	48				
28EFKOZD	28	50	4	1500	1	230	122	122	H – 1303 (51.30) x 661 (26.04) x 778 (30.64) U – 1222 (48.13) x 643 (25.33) x 733 (28.86)	H – 607 (1339) U – 531 (1170)	
						240	96				
						240	96				
28EFKOZD	28	50	4	1500	3	110 / 190	106	106	H – 1303 (51.30) x 661 (26.04) x 778 (30.64) U – 1222 (48.13) x 643 (25.33) x 733 (28.86)	H – 607 (1339) U – 531 (1170)	
						110 / 220	92				
						115 / 230	117				
28EFKOZD	28	50	4	1500	1	120 / 208	97	97	H – 1303 (51.30) x 661 (26.04) x 778 (30.64) U – 1222 (48.13) x 643 (25.33) x 733 (28.86)	H – 607 (1339) U – 531 (1170)	
						230 / 400	51				
						240 / 416	49				
40EKOZD	40	60	4	1800	3	220 / 380	53	53	H – 1354 (53.31) x 661 (26.04) x 778 (30.64) U – 1274 (50.17) x 643 (25.33) x 733 (28.86)	H – 637 (1404) U – 567 (1250)	
						120 / 240	152				
						120 / 208	139				
40EKOZD	40	60	4	1800	1	120 / 240	120	120	H – 1354 (53.31) x 661 (26.04) x 778 (30.64) U – 1274 (50.17) x 643 (25.33) x 733 (28.86)	H – 637 (1404) U – 567 (1250)	
						120 / 240	142				
						127 / 220	131				
40EKOZD	40	60	4	1800	3	139 / 240	120	120	H – 1354 (53.31) x 661 (26.04) x 778 (30.64) U – 1274 (50.17) x 643 (25.33) x 733 (28.86)	H – 637 (1404) U – 567 (1250)	
						277 / 480	60				
						277 / 480	60				
35EFKOZD	35	50	4	1500	1	230	152	152	H – 1354 (53.31) x 661 (26.04) x 778 (30.64) U – 1274 (50.17) x 643 (25.33) x 733 (28.86)	H – 637 (1404) U – 567 (1250)	
						240	133				
						240	133				
35EFKOZD	32	50	4	1500	3	110 / 190	129	129	H – 1354 (53.31) x 661 (26.04) x 778 (30.64) U – 1274 (50.17) x 643 (25.33) x 733 (28.86)	H – 637 (1404) U – 567 (1250)	
						110 / 220	112				
						115 / 230	130				
35EFKOZD											

Generator Model	kW*	Hz	Cylinder	RPM	Phase	Voltage	Amps	Length x Width x Height mm (in)		Weight (Wet) kg (lb)
								H – Housed / U – Unhoused / R – Radiator		
33EFOZDJ	33	50	4	1500	3	110 / 190	125	H – 1633 (64.3) x 767 (30.2) x 1015 (39.9) U – 1524 (60) x 722 (28.4) x 960 (37.8) R – 1858 (73.2) x 827 (32.6) x 1265 (49.8)	H – 1025 (2260) U – 935 (2060) R – 957 (2110)*	
					1	115 / 230	143			
					3	220 / 380	63			
40EFOZDJ	40	50	4	1500	3	110 / 190	152	H – 1633 (64.3) x 767 (30.2) x 1015 (39.9) U – 1549 (60.9) x 738 (29) x 961 (37.8) R – 1884 (74.2) x 827 (32.5) x 1265 (49.8)	H – 1080 (2380) U – 971 (2140) R – 993 (2190)*	
					1	115 / 230	174			
					3	220 / 380	76			
50EFOZDJ	50	50	4	1500	3	110 / 190	190	H – 1690 (66.5) x 767 (30.2) x 1015 (39.9) U – 1606 (63.2) x 738 (29) x 961 (37.8) R – 1941 (76.4) x 827 (32.5) x 1265 (49.8)	H – 1114 (2456) U – 1005 (2216) R – 1028 (2266)*	
					1	115 / 230	196			
					3	220 / 380	95			
55EFOZDJ	55	60	4	1800	3	120 / 208	191	H – 1633 (64.3) x 767 (30.2) x 1015 (39.9) U – 1549 (60.9) x 738 (29) x 961 (37.8) R – 1884 (74.2) x 827 (32.5) x 1265 (49.8)	H – 1090 (2404) U – 982 (2164) R – 1004 (2214)*	
					1	120 / 240	221			
					3	127 / 220	180			
45EFOZDJ	45	50	4	1500	3	139 / 240	165	H – 1633 (64.3) x 767 (30.2) x 1015 (39.9) U – 1549 (60.9) x 738 (29) x 961 (37.8) R – 1884 (74.2) x 827 (32.5) x 1265 (49.8)	H – 1090 (2404) U – 982 (2164) R – 1004 (2214)*	
					1	110 / 190	171			
					3	110 / 220	148			
65EFOZDJ	65	60	4	1800	3	115 / 230	196	H – 1690 (66.5) x 767 (30.2) x 1015 (39.9) U – 1606 (63.2) x 738 (29) x 961 (37.8) R – 1941 (76.4) x 827 (32.5) x 1265 (49.8)	H – 1125 (2480) U – 1016 (2240) R – 1039 (2290)*	
					1	120 / 240	221			
					3	127 / 220	213			
55EFOZDJ	55	50	4	1500	3	139 / 240	195	H – 1690 (66.5) x 767 (30.2) x 1015 (39.9) U – 1606 (63.2) x 738 (29) x 961 (37.8) R – 1941 (76.4) x 827 (32.5) x 1265 (49.8)	H – 1125 (2480) U – 1016 (2240) R – 1039 (2290)*	
					1	110 / 190	209			
					3	110 / 220	181			
80EFOZDJ	80	60	4	1800	3	115 / 230	217	H – 1754 (69) x 831 (32.7) x 1032 (40.6) U – 1657 (65.2) x 753 (29.6) x 999 (39.3) R – 1992 (78.4) x 890 (35) x 1277 (50.2)	H – 1270 (2800) U – 1148 (2530) R – 1179 (2600)*	
					1	120 / 208	278			
					3	120 / 240	241			
70EFOZDJ	70	50	4	1500	3	127 / 220	262	H – 1754 (69) x 831 (32.7) x 1032 (40.6) U – 1657 (65.2) x 753 (29.6) x 999 (39.3) R – 1992 (78.4) x 890 (35) x 1277 (50.2)	H – 1270 (2800) U – 1148 (2530) R – 1179 (2600)*	
					1	139 / 240	241			
					3	127 / 220	262			
99EFOZDJ	99	60	4	1800	3	127 / 220	325	H – 1829 (72) x 831 (32.7) x 1032 (40.6) U – 1732 (68.2) x 753 (29.6) x 999 (39.3) R – 2067 (81.3) x 890 (35) x 1277 (50.2)	H – 1356 (2990) U – 1243 (2740) R – 1275 (2810)*	
					1	139 / 240	298			
					3	127 / 220	325			
80EFOZDJ	80	50	4	1500	3	127 / 220	325	H – 1829 (72) x 831 (32.7) x 1032 (40.6) U – 1732 (68.2) x 753 (29.6) x 999 (39.3) R – 2067 (81.3) x 890 (35) x 1277 (50.2)	H – 1356 (2990) U – 1243 (2740) R – 1275 (2810)*	
					1	139 / 240	298			
					3	127 / 220	325			
125EFOZDJ	125	60	6	1800	3	110 / 190	304	H – 2205 (86.8) x 971 (38.2) x 1065 (41.9) U – 2068 (81.4) x 893 (35.2) x 1003 (39.5) R – 2466 (97.1) x 1129 (44.5) x 1275 (50.2)	H – 1683 (3710) U – 1515 (3340) R – 1578 (3478)	
					1	120 / 240	376			
					3	127 / 220	410			
100EFOZDJ	100	50	6	1500	3	139 / 240	376	H – 2205 (86.8) x 971 (38.2) x 1065 (41.9) U – 2068 (81.4) x 893 (35.2) x 1003 (39.5) R – 2466 (97.1) x 1129 (44.5) x 1275 (50.2)	H – 1683 (3710) U – 1515 (3340) R – 1578 (3478)	
					1	110 / 220	328			
					3	110 / 220	328			
150EFOZDJ	150	60	6	1800	3	120 / 208	380	H – 2205 (86.8) x 971 (38.2) x 1065 (41.9) U – 2091 (82.3) x 893 (35.2) x 1003 (39.5) R – 2498 (98) x 1129 (44.5) x 1275 (50.2)	H – 1719 (3789) U – 1551 (3419) R – 1613 (3557)	
					1	120 / 240	451			
					3	127 / 220	492			
125EFOZDJ	125	50	6	1500	3	139 / 240	451	H – 2205 (86.8) x 971 (38.2) x 1065 (41.9) U – 2091 (82.3) x 893 (35.2) x 1003 (39.5) R – 2498 (98) x 1129 (44.5) x 1275 (50.2)	H – 1719 (3789) U – 1551 (3419) R – 1613 (3557)	
					1	110 / 190	474			
					3	110 / 220	409			
200EFOZDJ	200	60	6	1800	3	120 / 208	433	H – 2661 (104.8) x 1048 (41.3) x 1174 (46.2) U – 2490 (98) x 970 (38.2) x 1086 (42.8)	H – 2147 (4733) U – 2067 (4558)	
					1	110 / 220	574			
					3	120 / 208	607			
175EFOZDJ	175	50	6	1500	3	120 / 208	694	H – 2661 (104.8) x 1048 (41.3) x 1174 (46.2) U – 2490 (98) x 970 (38.2) x 1086 (42.8)	H – 2147 (4733) U – 2067 (4558)	
					1	120 / 240	601			
					3	127 / 220	656			

*kW rating varies by voltage. Consult the generator spec sheet for more detail.

AMERICAS/CARIBBEAN
+1 920-565-3381
+1 800-544-2444
Fax 920-459-1646

CHINA
+86 21 26062169
+86 400 1808 900

EUROPE
MIDDLE EAST
AFRICA
+31 168 331630

ASIA PACIFIC
+65 6264 6422
Fax +65 6264 6455

INDIA
+91 80 42867000
Fax +91 80 23615972

New Zealand
Australia
+61 88 29 02100

KOHLERPOWER.COM

Printed in U.S.A. G12-479 7/18 © 2018 by Kohler Co.